PTO/SB/17 (12-04)
Approved for use through 07/31/2006, OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
o a collection of information unpless it displays a valid OMB control number ork Reduction Act of 1995 no persons are required to res

Effective on 12/08/2004.

Effective on 12/08/2004.

Effective on 12/08/2004. FEE TRANSMITTAL

For FY 2005

Under the Patte

Applicant claims small entity status. See 37 CFR 1.27								
TOTAL AMOUNT OF PAYMENT	(\$)	500.00						

Complete if Known					
Application Number	10/669,479				
Filing Date	September 24, 2003				
First Named Inventor	Steven Goebel et al.				
Examiner Name	Robert W. Hodge				
Art Unit	1746				
Attorney Docket No.	GMC 0050 PA/GP-303584				

			L.*	monro, book	51.110.	000017001-0		
METHOD OF PAYMENT (check all that apply)								
✓ Check Credit Card Money Order None Other (please identify):								
Deposit Account	Deposit Accoun	t Number:		Deposit A	Account Name:_			
For the above-ident	ified deposit	account, the Direc	ctor is hereb	y authorized t	o: (check all th	nat apply)		
Charge fee(s	) indicated be	low		Char	ae fee(s) indic	ated below, exce	pt for the fi	ilina fee
Charge any a	additional fee	(s) or underpaym	ents of fee(s	, <del>–</del>	it any overpay			•
under 37 CFI WARNING: Information on thi			tit card infor				ido crodit ca	ard
information and authorization			in card inton	nation should i	not be included	on uns tom. Flov		
FEE CALCULATION								
1. BASIC FILING, SEAI			FEES					
	FILING	EES mall Entity	SEARC	H FEES Small Entity		TION FEES		
Application Type	Fee (\$)	Fee (\$)	Fee (\$)	Fee (\$)	Fee (\$)	Fee (\$)	Fees Pa	<u>iid (\$)</u>
Utility	300	150	500	250	200	100		
Design	200	100	100	50	130	65	-	
Plant	200	100	300	150	160	80		
Reissue	300	150	500	250	600	300		
Provisional	200	100	0	0	0	0		
2. EXCESS CLAIM FEE	S						Fee (\$)	Small Entity
Fee Description Each claim over 20 or, for	or Reissues.	each claim ove	er 20 and m	ore than in t	the original i	patent	50	Fee (\$) 25
Each independent claim							nt 200	100
Multiple dependent clain					•		360	180
Total Claims - 20 or HP =	Total Claims Extra Claims Fee (\$)			Fee Paid (\$)		ependent Claims Fee Paid	•	
HP = highest number of total		if greater than 20			Fee (\$)	ree Paid	1/21	
	Extra Claims		Fee Pai	d (\$)			<del></del>	
- 3 or HP = HP = highest number of indep	endent claims	_ X paid for, if greater th	_ = nan 3					
3. APPLICATION SIZE FEE								
If the specification and	drawings e	xceed 100 shee	ts of paper	, the applica	tion size fee	due is \$250 (\$1	25 for sm	all entity)
for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).  Total Sheets Extra Sheets Number of each additional 50 or fraction thereof Fee (\$) Fee Paid (\$)								
- 100 = /50 = (round up to a whole number) x =								
4. OTHER FEE(S)  Fees Paid (\$)								
Non-English Specification, \$130 fee (no small entity discount)								
Other: Filing of Brief on Appeal 500.00								
	$\rightarrow =$							

SUBMITTED BY	. /			
Signature	W		Registration No. (Attorney/Agent) 42,695	Telephone (937) 449-6400
Name (Print/Type)	William A. Ji	vden		Date June 9, 2006

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



## Application of

**Applicants** 

: Goebel et al.

Serial No.

: 10/669,479

Filed

: September 24, 2003

Title

: FLOW FIELD PLATE ARRANGEMENT FOR A FUEL CELL

Docket

: GP-303584

Examiner

: Robert W. Hodge

: 1746

: 3973

Art Unit Conf. No. Service as first class

I hereby certify that this correspondence is being deposited with the United States Postal an envelope addressed to: Commissioner for Patents, P.O. Box VA 223 3-1450, on June 9, 2006. 1450, Alexand

CERTIFICATE OF MAILING

Reg. No. 42,695

#### MAIL STOP APPEAL BRIEF - PATENTS

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

### **BRIEF ON APPEAL**

This is an appeal from the Office Action mailed January 19, 2006, finally rejecting claims 13-42, all of the claims in the application. A Notice of Appeal was timely mailed on April 10, 2006, with the accompanying fee. Our check in the amount of \$500 accompanies this Brief in accordance with 37 CFR §41.20(b)(2).

## **Real Party in Interest**

The real party in interest in this application is General Motors Corporation, by an assignment from the named inventors recorded in the files of the U.S. Patent and Trademark Office on January 5, 2004 under Reel/Frame 014230/0465.

## **Related Appeals and Interferences**

Applicants know of no currently pending related appeals or interferences that would have an effect on the outcome of this appeal.

06/12/2006 RFEKADU1 00000056 10669479

01 FC:1402

500.00 OP

### **Status of Claims**

Claims 13-42 are pending in this application and are before this Board for consideration on appeal. A copy of the appealed claims is found in the Appendix attached to this Brief.

### **Status of Amendments**

A Request for Reconsideration was filed March 17, 2006. In an Advisory Action dated March 28, 2006 it was indicated that the request for reconsideration has been considered but does not place the application in condition for allowance because the Applicants arguments are not persuasive for reasons already made of record in the final office action dated January 19, 2006.

Accordingly, independent claims 13 and 42 and the claims which depend therefrom, i.e. claims 14-41 respectively, as finally rejected, are the claims on appeal before this Board. A correct copy of the appealed claims appears as an Appendix to the Brief.

## **Summary of Claimed Subject Matter**

Applicants' invention is directed to a fuel cell comprising anode and cathode flow field plates having a multitude of flow channels separated by land features wherein the land features of the anode side are wider than the land features of the cathode side. In fuel cells, the flow field plate arrangement of the present invention provides higher power (lower cost per kW), improved durability, and less stringent assembly alignment.

## Grounds of Rejection to be Reviewed on Appeal

The grounds of rejection for review on appeal are:

- (1) Claims 13-22, 24, 28, 31, 33-42 are rejected under 35 U.S.C. §102(e) as being anticipated by Carlstrom (US 2003/0224239).
- (2) Claims 23, 25-27, 29, 30 and 32 are rejected under 35 U.S.C. §103(a) as being unpatentable over Carlstrom in view of Suzuki (US 2002/0004158).

## **Grouping of Claims**

The Examiner has stated two grounds of rejection, rejecting claims 13-22, 24, 28, 31, 33-42 under 35 U.S.C. §102(e) as being anticipated by Carlstrom (US 2003/0224239) and claims 23, 25-27, 29, 30 and 32 under 35 U.S.C. §103(a) as being unpatentable over Carlstrom in view of Suzuki (US 2002/0004158).

This application contains two independent claims, claims 13 and 42. Applicants will separately argue the patentability of those claims in the body of their argument section. The dependent claims will stand or fall with their independent base claim.

## Argument

## Rejection under 35 U.S.C. §102(e).

In the Office Action, claims 13-22, 24, 28, 31, and 33-42 are rejected as anticipated by U.S. Pre-Grant Publication No. 2003/0224239, hereafter "Carlstrom." This rejection is respectively traversed in view of the following comments.

Carlstrom fails to disclose each and every limitation of the claimed invention. Nowhere in Carlstrom is it disclosed or suggested that a pitch of a first flow field plate is less than the pitch of a second flow field plate. The "pitch" of a flow field plate is defined in the specification as "the cross sectional width of the channel plus the cross sectional width of an adjacent land." See paragraph [0005] of the specification in the present invention.

In paper No. 20060111, para. 1, lines 11-17, the Examiner alleges that the Applicants are changing their definition of the term "pitch." However, in both the arguments filed 8/16/05 and 12/19/05, the Examiner has been directed to sections of the specification for the definition the term "pitch." In the augment filed 8/16/05, Applicants were responding to the Examiner's incorrect definition of the term pitch presented in the Office Action dated July 6, 2005 (paper No. 20050621). At that time, Applicants believed that it was unnecessary to expound on the definition of the term "pitch" provided at page 9, paragraph [0029] as the cited prior art was clearly deficient in having a pitch (land width plus channel width) defined by a first flow field plate that is less than a pitch (land width plus channel width) defined by a second flow field plate. Applicants were

apparently correct in this assertion as the Examiner drop the anticipatory rejections to Gurau et al., Suzuki et al., and Wilkinson et al. in the next Office Action dated October 7, 2005, and then provided the then newly cited reference to Carlstrom.

However, in view of the Examiner alleging in paper No. 20051003, para. 8, lines 3-7, that Carlstrom teaches that "the channels are designed to be varied in shape and pattern, where the channels can be different sizes, and cross sectional areas [sic] would therefore have varying land-to-land contact across the membrane with a pitch of one flow field plate being less than a pitch of another flow field plate in varying degrees and a thickness of the plate less than 1mm," it was obvious to the Applicants that the term "pitch" need to be expounded as the Examiner didn't understand context of the term as it had been clearly defined by the Applicants in the specification. Hence to make clear to the Examiner the meaning and context of the term "pitch," the Applicants pointed to paragraph [0005] of the specification in their response. Words of the claim must be given their plain meaning unless applicant has provided a clear definition in the specification. In re Zletz, 893 F.2d 319, 321, 13 USPQ2d 1320, 1322 (Fed. Cir. 1989); Chef America, Inc. v. Lamb-Weston, Inc., 358 F.3d 1371, 1372, 69 USPQ2d 1857 (Fed. Cir. 2004). Applicant have consistently pointed to the specification for the definition of the term "pitch," and have not wavered from that definition. Where an explicit definition is provided by the applicant for a term, that definition will control interpretation of the term as it is used in the claim. Toro Co. v. White Consolidated Industries Inc., 199 F.3d 1295, 1301, 53 USPQ2d 1065, 1069 (Fed. Cir. 1999) (meaning of words used in a claim is not construed in a "lexicographic vacuum, but in the context of the specification and drawings"). See also MPEP 2111.01.

As Applicants have previously stated in their arguments filed 12/19/05, although channel shape and design vary between the embodiments disclosed by Carlstrom, the pitch does not vary between plates of each embodiment. To highlight this point, Applicants submitted Exhibit A in that response (herein provided as an Evidence Appendix) which shows FIGS. 5-7 of Carlstrom marked up to indicate that the pitch between the plates 502, 504 (FIG. 5), 602, 604 (FIG. 6), and 702, 704 (FIG. 7) of the illustrated embodiments are the same, and that even in the embodiment of Carlstrom, where only one of the plates 702 and 704 is provided with a ridge 706, 708 (see

paragraph [0050]), such an embodiment still has the same pitch between the plates. The Applicants have merely used an arbitrary scale in the Exhibit. The scale could have been in microns, inches, or paper clips, as the scale is irrelevant to the point that Carlstrom teaches and discloses in all his illustrated embodiments that the pitch is the same between the plates.

Nowhere in Carlstrom is it disclosed or suggested that a plate of one embodiment, for example, plate 505 (FIG. 5) can be paired up with the plate of another embodiment, for example, plate 608 (FIG. 6). However, even if one skilled was provided with such a suggested, such an embodiment would still not produce that claimed invention as Carlstrom is silent on the desire to vary the pitch between plates. In fact, none of the cited art provides such a desire. In view of the cited art, only impressible hindsight would provide such motivation to vary the pitch between plates.

Independent claim 13 recites, *inter alia*, the limitation of "a pitch defined by said first flow field plate is less than a pitch defined by said second flow field plate."

Independent claim 42 recites, *inter alia*, the limitations of "said second channels define a cross sectional width approximately equal to a cross sectional width defined by said first channels, said second flow field plate defines a channel pitch substantially greater than a channel pitch defined by said first flow field plate." As Carlstrom fails to disclose or suggest such limitations, withdrawal of the anticipatory rejection to the above noted claims is respectfully requested.

Rejection under 35 U.S.C. §103(a) as being unpatentable over Carlstrom in view of Suzuki (US 2002/0004158).

In the Office Action, claims 23, 25-27, 29, 30, and 32 are rejected as being unpatentable over Carlstrom in view of Suzuki et al. U.S. Pre-Grant Publication No. 2002/0004158, hereafter "Suzuki et al." This rejection is respectively traversed in view of the following comments.

The above noted claims depend from claim 13, which as pointed out above,

Carlstrom fails to teach the limitation of "a pitch defined by said first flow field plate is

less than a pitch defined by said second flow field plate." As pointed out in the

arguments filed 8/16/05, Suzuki et al. also fail to disclose or suggest that a pitch of a cathode flow field plate is less than the pitch of an anode flow field plate.

Applicants note that the cathode and anode separators (i.e., flow field plates), indicated as symbol 1 in FIG. 6 of Suzuki et al. are all provided with the same pattern, and hence the separators sandwiching the membrane electrode assembly (MEA)(elements 10, 11, and 12 in FIG. 6) will have the same cross-section and pitch. Nowhere in Suzuki et al. is it disclosed or suggested that a pitch of a cathode flow field plate is less than the pitch of an anode flow field plate. Furthermore, nowhere is it disclosed or suggested that the channels between two plates that are separated by a MEA have the same channel cross-section, yet one plate has a channel pitch greater than the other plate. Independent claim 13 recites, *inter alia*, the limitation of "a pitch defined by said first flow field plate is less than a pitch defined by said second flow field plate." Therefore, as the combined teachings of Carlstrom and Suzuki et al. would fail to disclose or suggest the recited invention of independent claim 13, withdrawal of this rejection to dependent claims 23, 25-27, 29, 30, and 32 is respectfully requested.

### Conclusion

The Board is requested to reverse the rejections of claims 13-42 in their entirety.

Respectfully submitted, DINSMORE & SHOHL LLP

By William A. Tviden

Registration No. 42,695

One Dayton Centre One South Main Street, Suite 1300 Dayton, Ohio 45402-2023 Telephone: (937) 449-6448

Facsimile: (937) 449-6405

WAJ/AMM

### CLAIMS APPENDIX

## 1-12. (Canceled)

- 13. (Previously Amended) A device comprising an electrochemical cell, said electrochemical cell comprising:
- a membrane electrode assembly defining an anode side of said cell and a cathode side of said cell;
- a first flow field plate for the cathode side of said cell, said first flow field plate comprising a plurality of first channels separated by first lands; and
- a second flow field plate for the anode side of said cell, said second flow field
  plate comprising a plurality of second channels separated by second lands, wherein
  said membrane electrode assembly is interposed between said first
  and second flow field plates, and
  - a pitch defined by said first flow field plate is less than a pitch defined by said second flow field plate.
- 14. (Original) The device according to claim 13 wherein the pitch defined by said second flow field plate is approximately twice as large as the pitch defined by said first flow field plate.
- 15. (Original) The device according to claim 13 wherein at least one of said second lands has a cross sectional width wider than a cross sectional width of at least one of said first lands.
- 16. (Original) The device according to claim 13 wherein said first channels define a cross sectional width approximately equal to a cross sectional width defined by said second channels.
- 17. (Original) The device according to claim 13 wherein a substantial number of said second lands define a cross sectional width greater than a cross sectional width defined by a substantial number of said first lands.

- 18. (Original) The device according to claim 13 wherein a substantial number of said second channels define a cross sectional width approximately equal to a cross sectional width defined by a substantial number of said first channels.
- 19. (Original) The device according to claim 13 wherein a majority of said second lands define a cross sectional width greater than a cross sectional width defined by a majority of said first lands.
- 20. (Original) The device according to claim 13 wherein a majority of said first channels define a cross sectional width approximately equal to a cross sectional width defined by a majority of said second channels.
- 21. (Original) The device according to claim 13 wherein substantially all of said second lands define a cross sectional width greater than a cross sectional width defined by substantially all of said first lands.
- 22. (Original) The device according to claim 13 wherein substantially all of said first channels define a cross sectional width approximately equal to a cross sectional width defined by substantially all of said second channels.
- 23. (Original) The device according to claim 13 wherein said first and second channels each have a cross sectional width of 1.5 mm or less.
- 24. (Original) The device according to claim 13 wherein each of said flow field plates have a thickness of 1 mm or less.
- 25. (Original) The device according to claim 13 wherein a cross sectional width of each said first lands is 1mm or less.

- 26. (Original) The device according to claim 13 wherein a cross sectional width of each said second lands is about 3 times wider than a cross sectional width of each said first lands.
- 27. (Original) The device according to claim 26 wherein said first channels define a cross sectional width approximately equal to a cross sectional width defined by said second channels.
- 28. (Original) The device according to claim 13 wherein said first and second channels are predominately straight.
- 29. (Original) The device according to claim 13 wherein said first and second channels each have a depth of about 1 mm or less.
- 30. (Original) The device according to claim 13 wherein the pitch defined by said first flow field plate is about 2.5 mm or less.
- 31. (Original) The device according to claim 13 wherein said device further comprises structure defining a fuel cell of the PEM-type.
- 32. (Original) The device according to claim 31 wherein said device further comprises structure defining a vehicle powered by said fuel cell.
- 33. (Original) The device according to claim 13 wherein said second lands are oriented at an angle to said first lands in a plane parallel to said second flow field plate.
- 34. (Original) The device according to claim 33 wherein said angle is in the range of 0° to 90°.
- 35. (Original) The device according to claim 13 wherein said first and second fluid flow plates lie in substantially parallel planes and said first channels, said first lands, said

second channels, and said second lands define respective pitches that ensure at least about 30% land-to-land contact across a surface of a membrane interposed between said first and second flow field plates.

- 36. (Original) The device according to claim 35 wherein said respective pitches ensure at least about 30% land-to-land contact regardless of the manner in which said first lands are aligned relative to said second lands.
- 37. (Original) The device according to claim 13 wherein at least one of said first and second channels are formed with a multiple of alternating angles.
- 38. (Original) The device according to claim 13 wherein said first and second lands each have a wiggle alignment pattern, and each said wiggle alignment pattern is in phase respectively.
- 39. (Original) The device according to claim 13 wherein said first and second lands each have a wiggle alignment pattern and each said wiggle alignment pattern is out of phase respectively.
- 40. (Previously Amended) The device according to claims 33 wherein said first and second channels are predominately straight.
- 41. (Original) The device according to claims 13 wherein said first and second channels are serpentine.
- 42. (Previously Amended) A device comprising an electrochemical cell, said electrochemical cell comprising:
- a membrane electrode assembly defining an anode side of said cell and a cathode side of said cell;
- a first flow field plate for the cathode side of said cell, said first flow field plate comprising a plurality of first channels separated by first lands; and

insensitive to plate-to-plate positioning.

a second flow field plate for the anode side of said cell, said second flow field plate comprising a plurality of second channels separated by second lands, wherein said membrane electrode assembly is interposed between said first and second flow field plates,

said second channels define a cross sectional width approximately equal to a cross sectional width defined by said first channels, said second flow field plate defines a channel pitch substantially greater than a channel pitch defined by said first flow field plate, and at least said second lands are formed with a multiple of alternating angles relative to said first lands in a plane parallel to said second flow field plate and said respective channel

pitches and cross-sectional widths ensure at least 30% land-to-land contact which is

## **EVIDENCE APPENDIX**

Exhibit A: FIGS. 5-7 of Carlstrom marked up to indicate that the pitch between the plates 502, 504 (FIG. 5), 602, 604 (FIG. 6), and 702, 704 (FIG. 7) of the illustrated embodiments are the same. Entered in Applicants' response filed 12/19/05.

# RELATED PROCEEDINGS APPENDIX

NONE ·

PTO/SB/17 (12-04)
Approved for use through 07/31/2006. OMB 0651-0032
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

10/669,479

the Paperwork Reduction Act of 1995 no persons are required to respond to a collection of information unless it displays a valid OMB control number Effective on 12/08/2004. Complete if Known

Fees pursuant to the Consolidated Appropriations Act, 2005 (H.R. 4818).

EEE TOANCMITTAL				Application Number 10/669,479					
FEE TRANSMITTAL		Filing Date Septe		eptember 24	tember 24, 2003				
For FY 2005			First Named Inventor S		Steven Goebel et al.				
Applicant claims small entity status See 37 CEP 1 27			Examiner Name Ro		Robert W. Hodge				
Applicant claims small entity status. See 37 CFR 1.27			Art Unit	17	46				
TOTAL AMOUNT	OF PAYME	ENT (\$	500.0	0	Attorney Dock	et No. G	MC 0050 P	A/GP-30358	4
METHOD OF PA	YMENT (	(check a	II that apply)						
✓ Check	Credit Ca	ırd 🔲	Money Order	No	ne Other	please identi	fy):		
Deposit Acc	ount Dep	osit Accou	int Number:						
			account, the Dire						
Char	ge fee(s) in	dicated b	pelow		Char	ge fee(s) in	dicated below	, except for t	the filing fee
			e(s) or underpayn	nents of fe	e(s) Cred	it any overp	avments		
WARNING: Information	r 37 CFR 1 on on this fo	orm may t	ecome public. Cre	dit card in	_		-	m. Provide cree	dit card
information and auth		PTO-203	8.						
FEE CALCULAT									
1. BASIC FILING	s, SEARC	H, AND FILING			RCH FEES	EXAMIN	IATION FEI	EG	
Application Type			Small Entity		Small Entity		Small Entit	y	
Utility	<u>pe</u>	Fee (\$) 300	Fee (\$) 150	Fee (\$		Fee (\$)		ree	s Paid (\$)
Design		200	100	500 100	250	200	100		
Plant		200			50	130	65	<del></del>	
Reissue			100	300	150	160	80		
		300	150	500	250	600	300		
Provisional  2. EXCESS CLA	IM FEES	200	100	0	0	0	0		
Fee Description								Fee	Small Entity (\$) Fee (\$)
Each claim over 2								50	
Each independent		er 3 or, f	for Reissues, ea	ch indep	endent claim m	ore than in	the origina	•	
Multiple depender Total Claims		las Claim	5 (f)	F 1	D-14 (6)	84-141-1-	<b>5</b>	36	0 180
	<u>EXI</u> HP=	tra Claim	<u>is</u> <u>Fee (\$)</u> x	ree :	Paid (\$)	Fee (\$	Dependent C	ee Paid (\$)	
HP = highest number		ns paid fo				1 00 14	4 13	70 Faiu (4)	
Indep. Claims		ra Claim		Fee I	Paid (\$)	•			·
- 3 or I HP = highest number		ent claims	x paid for, if greater to	_ = han 3	<del></del>				
3. APPLICATION	SIZE FE	E							
If the specificati	on and dra	awings o	exceed 100 shee	ets of pap	er, the applicat	ion size fe	e due is \$2:	50 (\$125 for	small entity)
for each additional 50 sheets or fraction thereof. See 35 U.S.C. 41(a)(1)(G) and 37 CFR 1.16(s).									
Total Sheets Extra Sheets Number of each additional 50 or fraction thereof Fee (\$) Fee Paid (\$) 100 = /50 = (round up to a whole number) x =									
4 OTHER PERSON									
4. OTHER FEE(S)  Non-English Specification, \$130 fee (no small entity discount)									
Other: Filing of Brief on Appeal 500.00									
SUBMITTED BY									
Signature	X		7	Ī	Registration No.	12,695	Telen	hone (937) 4	149.6400
(Altorrey/Agent)									
vanie (Print/Type)  Wi	⊪am 🗛. Ji	vjaen					Date	June 9, 200	ן ט

This collection of information is required by 37 CFR 1.136. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 30 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.




Fig. 4 (Prior Art)

